5

	Application No.	Applicant(s)
Notice of Allowability	10/565,397	TIVIG ET AL.
	Examiner	Art Unit
	Hien X. Vo	2863
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this apport or other appropriate communication GHTS. This application is subject to	plication. If not included n will be mailed in due course. THIS
1. This communication is responsive to <u>amendment filed 02/28/07.</u>		
2. X The allowed claim(s) is/are 1.3 and 5-17.		
3. ☑ Acknowledgment is made of a claim for foreign priority ur a) ☑ All b) ☐ Some* c) ☐ None of the:		
 ☐ Certified copies of the priority documents have been received. ☐ Certified copies of the priority documents have been received in Application No 		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the drawi he header according to 37 CFR 1.121(ngs in the front (not the back) of d).
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal F	Patent Application
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Da 7. ⊠ Examiner's Amendi	
Paper No./Mail Date	_	
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	8. ⊠ Examiner's Stateme	ent of Reasons for Allowance
. Liological metorial	9.	

Application/Control Number: 10/565,397

Art Unit: 2863

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Thomas M. Lundin on 03/29/07.

The application has been amended as follows:

Cancelled claim 18.

Allowable Subject Matter

2. Claims 1, 3, 5-17 allowed.

The following is an examiner's statement of reasons for allowance:

For claims 1, 5, 7, 8, 9, the prior art does not teach in singularly or combination the steps of:

logging of a variation with time of the values of the parameter concerned, determination of a base value for the parameter concerned,

determination of an instantaneous deviation between the base value and the current parameter value or a current mean value of a specified group, containing the current parameter value, of consecutive parameter values,

Application/Control Number: 10/565,397

Art Unit: 2863

creation of a baseline representing the base value,

display of the baseline on the viewing screen in such a way that the baseline extends horizontally on the viewing screen and with a specified length,

creation of a continuous curve that represents the variation with time of the parameter values for a specified time period and is normalized with respect to the baseline,

display of the continuous curve on the viewing screen in such a way that the continuous curve's time axis extends horizontally on the viewing screen and that the continuous curve on the viewing screen essentially extends over the entire length of the baseline,

creation of a deviation bar that represents the instantaneous deviation and is normalized with respect to the baseline,

display of the deviation bar on the viewing screen in such a way that the deviation bar extends vertically on the viewing screen from the level of the baseline; wherein the datum-line display has a trend arrow that is generates as follows:

determination of the trend of the value variation with time in the current parameter value,

creation of the trend arrow, which represents the trend,

display of the trend arrow in the viewing screen and wherein the trend arrow is displayed on the viewing screen in such a way that the trend arrow points upward in the case of a positive instantaneous slope and points downward in the case of a negative instantaneous slope.

Application/Control Number: 10/565,397 Page 4

Art Unit: 2863

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hien X. Vo whose telephone number is (571) 272-2282. The examiner can normally be reached on M-F (8:00-5:30) First Friday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Barlow can be reached on (571) 272-2269. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Hien Vo 03/29/07

John Barlow
Supervisory Patent Exammer
Technology Center 2800